

\$\$\$\$\$\$ \$\$\$\$\$\$

DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	2222222 22 22 22 22 22 22 22 22 22 22 2			AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
PAPE PAPE PAPE PAPE	AAAAAA AA AA AA AA	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP		

EXES:DCLTABLES

16-SEP-1984 03:59 VAX-11 Linker V04-00

Page

1

! Object Module Synopsis !

Module Name

Ident

Bytes

File

Creation Date

Creator

DCLSAL\_TAB\_VEC 0-0

20 \_\$255\$DUA28:[CLD.OBJ]DCLTABLES.OBJ;1 15-SEP-1984 23:37 VAX/VMS Command Definition Uti

\$255\$DUA28:[CLD.OBJ]DCLTABLES.EXE:1

F 3 16-SEP-1984 03:59 VAX-11 Linker V04-00

2

Page

! Image Section Synopsis!

Base Addr Disk VBN PFC Protection and Paging Type Pages Cluster

Global Sec. Name Majorid Match Minorid

DEFAULT\_CLUSTER

00000000-R

2 O READ ONLY

Key for special characters above:

- Relocatable !

\_\$255\$DUA28:[CLD.OBJ]DCLTABLES.EXE;1

16-SEP-1984 03:59 VAX-11 Linker V04-00

Page

3

! Program Section Synopsis !

Psect Name Module Name Length Align Base Attributes End 00000000 00000013 00000014 ( CLISTABLES 20.) LONG 2 20.) LONG 2 PIC.USR, CON, REL, LCL, NOSHR, NOEXE, RD, NOWRT, NOVEC DCL\$AL\_TAB\_VEC

\_\$255\$DUA28:[CLD.OBJ]DCLTABLES.EXE;1

H 3 16-SEP-1984 03:59

VAX-11 Linker V04-00

Page

! Symbol Cross Reference !

Referenced By ...

Symbol Value
DCL\$AL\_TAB\_VEC 00000000-RU

Defined By
DCLSAL\_TAB\_VEC

\_\$255\$DUA28:[CLD.OBJ]DCLTABLES.EXE;1

16-SEP-1984 03:59

VAX-11 Linker V04-00

Page

Symbols By Value !

Value

Symbols...

00000000

RU-DCL\$AL\_TAB\_VEC

Key for special characters above:

- Undefined - Universal - Relocatable - External

UNIVERSAL=DCLSAL\_TAB\_VEC

6

0046 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

